

RESOLUTION NO. \_\_\_\_\_

**A RESOLUTION OF THE COUNCIL OF THE CITY OF  
SAN JOSE ADOPTING THE CAMDEN AVENUE  
RESIDENTIAL PROJECT MITIGATED NEGATIVE  
DECLARATION, FOR WHICH AN INITIAL STUDY WAS  
PREPARED, AND ADOPTING A RELATED MITIGATION  
MONITORING AND REPORTING PROGRAM**

**WHEREAS**, the City of San José (“City”), acting as lead agency under the California Environmental Quality Act (“CEQA”), prepared a Mitigated Negative Declaration and supporting Initial Study for a residential project on Camden Avenue (Planning File Nos. PDC21-010, PD21-006); and

**WHEREAS**, the Initial Study analyzed the environmental impacts of constructing seven new detached single-family homes and two new private driveways off Camden Avenue to access the homes, on an approximately 1-gross-acre site located at 0 Camden Avenue in the City of San José (Assessor’s Parcel Number 567-26-014) (the “Project”); and

**WHEREAS**, the Initial Study/Mitigated Negative Declaration concluded that implementation of the Project could result in certain significant effects on the environment and identified mitigation measures that would reduce each of those significant effects to a less-than-significant level; and

**WHEREAS**, in connection with the approval of a project involving the preparation of an initial study/mitigated negative declaration that identifies one or more significant environmental effects, CEQA requires the decision-making body of the lead agency to incorporate feasible mitigation measures that would reduce those significant environmental effects to a less-than-significant level; and

**WHEREAS**, whenever a lead agency approves a project requiring the implementation of measures to mitigate or avoid significant effects on the environment, CEQA also requires a lead agency to adopt a mitigation monitoring and reporting program to ensure compliance with the mitigation measures during project implementation, and such a mitigation monitoring and reporting program has been prepared for the Project for consideration by the City Council of the City of San José (the “Mitigation Monitoring and Reporting Program”); and

**WHEREAS**, the City Council has reviewed and considered the Initial Study/Mitigated Negative Declaration and related Mitigation Monitoring and Reporting Program for the Project and intends to take actions on the Project in compliance with CEQA and state and local guidelines implementing CEQA; and

**WHEREAS**, the Initial Study/Mitigated Negative Declaration and related Mitigation Monitoring and Reporting Program for the Project are on file in the Office of the Director of Planning, Building and Code Enforcement, located at 200 East Santa Clara Street, 3rd Floor Tower, San José, California, 95113, are available for inspection by any interested person at that location and on the Department of Planning, Building and Code Enforcement website;

**NOW, THEREFORE**, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF SAN JOSE:

**THAT THE CITY COUNCIL** does hereby make the following findings: (1) it has independently reviewed and analyzed the Initial Study/Mitigated Negative Declaration and other information in the record and has considered the information contained therein, prior to acting upon or approving the Project, (2) the Initial Study/Mitigated Negative Declaration prepared for the Project has been completed in compliance with CEQA and is consistent with state and local guidelines implementing CEQA, and (3) the Initial

Study/Mitigated Negative Declaration represents the independent judgment and analysis of the City of San José, as lead agency for the Project. The City Council incorporates the Initial Study/Mitigated Negative Declaration for the Project into this Resolution as if fully set forth herein. The City Council further designates the Director of Planning, Building and Code Enforcement at the Director's Office at 200 East Santa Clara Street, 3rd Floor Tower, San José, California, 95113, as the custodian of documents and records of proceedings on which this decision is based.

**THAT THE CITY COUNCIL** does hereby find that based upon the entire record of proceedings before it and all information received that there is no substantial evidence that the Project will have a significant effect on the environment and does hereby adopt the Mitigated Negative Declaration and related Mitigation Monitoring and Reporting Program prepared for the Project (Planning File Nos. PDC21-019 and PD21-009). The Mitigation Monitoring and Reporting Program for the Project is attached hereto as Exhibit "A" and fully incorporated herein. The Initial Study/ Mitigated Negative Declaration and Mitigation Monitoring and Reporting Program are: (1) on file in the Office of the Director of Planning, Building and Code Enforcement, located at 200 East Santa Clara Street, 3rd Floor Tower, San José, California, 95113 and (2) available for inspection by any interested person.

//

//

//

//

//

ADOPTED this \_\_\_\_ day of \_\_\_\_\_, 2022, by the following vote:

AYES:

NOES:

ABSENT:

DISQUALIFIED:

---

SAM LICCARDO  
Mayor

ATTEST:

---

TONI J. TABER, CMC  
City Clerk

**MITIGATION MONITORING AND REPORTING PROGRAM**

---

**Camden Avenue Residential Project**  
**File Nos. PDC21-019/PD21-006**  
**September 2022**

---



## PREFACE

Section 21081.6 of the California Environmental Quality Act (CEQA) requires a Lead Agency to adopt a Mitigation Monitoring and Reporting Program (MMRP) whenever it approves a project for which measures have been required to mitigate or avoid significant effects on the environment. The purpose of the monitoring and reporting program is to ensure compliance with the mitigation measures during project implementation.

The Initial Study/Mitigated Negative Declaration (IS/MND) prepared for the Camden Avenue Residential Project concluded that the implementation of the project could result in significant effects on the environment and mitigation measures were incorporated into the proposed project or are required as a condition of project approval. This MMRP addresses those measures in terms of how and when they will be implemented.

This document does *not* discuss those subjects for which the IS concluded that the impacts from implementation of the project would be less than significant.

I, MARIC LAZZARINI, the applicant, on the behalf of DAL PROPERTIES, LLC, hereby agree to fully implement the Mitigation Measures described below which have been developed in conjunction with the preparation of an IS/MND for my proposed project. I understand that these mitigation measures or substantially similar measures will be adopted as conditions of approval with my development permit request to avoid or significantly reduce potential environmental impacts to a less than significant level.

Project Applicant's Signature \_\_\_\_\_



Date \_\_\_\_\_

11/23/2022



*Planning, Building and Code Enforcement*  
CHRISTOPHER BURTON, DIRECTOR

File Nos. PDC21-019/PD21-006  
Camden Avenue Residential Project

MITIGATIONS	MONITORING AND REPORTING PROGRAM				
	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]		
	Method of Compliance Or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule
<b>AIR QUALITY</b>					
<b>Impact AIR-1:</b> Construction activities involving diesel particulate matter (DPM) exhaust emissions at the project site would result in significant cancer risk (significant cancer risk threshold is greater than 10.0 chances per million) at the maximally exposed individual located 20 feet north of the project site (23.75 chances per million).					
<p><b>MM AIR-1.1:</b> Prior to issuance of any tree removal, , grading and/or building permits (whichever occurs first), the project applicant shall develop a plan demonstrating that the off-road equipment used on-site to construct the project would achieve a fleet-wide average 60 percent reduction in diesel particulate matter exhaust emissions or greater. The plan shall be signed and verified by an air quality specialist. The plan shall be submitted to the Director of Planning, Building, and Code Enforcement or the Director's designee. Construction equipment measures shall be printed on all construction documents, contracts, and project plans. Feasible plans to achieve this reduction would include one of the two following options:</p> <ul style="list-style-type: none"> <li>• All construction equipment larger than 25 horsepower used at the site for more than two continuous days or 20 hours total shall meet U.S. EPA Tier 4 emission standards for PM, if feasible, otherwise: <ul style="list-style-type: none"> <li>○ If use of Tier 4 equipment is not available, alternatively use equipment that meets U.S.</li> </ul> </li> </ul>	<p>Develop a plan demonstrating that construction equipment used on-site has low diesel particulate matter exhaust or achieve a fleet-wide average 60-percent reduction in DPM exhaust emissions. The plan shall be prepared an air quality consultant.</p> <p>Submit construction documents and plans to the Director of Planning, Building and Code Enforcement or Director's designee for review and approval.</p> <p>All measures shall be printed on all construction documents, contracts, and project plans.</p>	<p>Prior to the issuance of any tree removal, grading, and/or building permits (whichever occurs first).</p> <p>Construction equipment measures shall be implemented during all phases of construction.</p>	<p>Director of Planning, Building, and Code Enforcement or the Director's designee.</p>	<p>Review and approve the construction equipment plan.</p> <p>Ensure that all measures are printed on all construction documents, contracts, and project plans.</p>	<p>Prior to the issuance of any tree removal, grading, and/or building permits (whichever occurs first).</p>

<p>EPA emission standards for Tier 3 engines and include particulate matter emissions control equivalent to CARB Level 3 verifiable diesel emission control devices that altogether achieve a 60 percent reduction in particulate matter exhaust in comparison to uncontrolled equipment; alternatively (or in combination). The use of Tier 3 equipment shall not exceed five percent of all equipment usage (described in terms of total horsepower hours during a phase).</p> <ul style="list-style-type: none"> <li>○ Use of alternatively fueled equipment with lower PM emissions that meet the PM reduction requirements above.</li> <li>● Alternatively, the applicant may develop another construction operations plan demonstrating that the construction equipment used on-site would achieve a reduction in construction diesel particulate matter emissions by 60 percent or greater. Elements of the plan could include a combination of some of the following measures:             <ul style="list-style-type: none"> <li>○ Implementation of Item 1a above to use Tier 4 or alternatively fueled equipment,</li> <li>○ Installation of electric power lines during early construction phases to avoid use of diesel generators and compressors,</li> <li>○ Use of electrically-powered equipment,</li> <li>○ Forklifts and aerial lifts used for exterior and interior building construction shall be electric or propane/natural gas powered,</li> <li>○ Change in construction build-out plans to lengthen phases, and</li> <li>○ Implementation of different building techniques that result in less diesel equipment usage.</li> </ul> </li> </ul>					
---	--	--	--	--	--

**BIOLOGICAL RESOURCES**

**Impact BIO-1:** Development of the proposed project would result in impacts to nesting birds, if adjacent to the site at the time of construction.

<p><b>MM BIO-1.1:</b> Prior to any tree removal or approval of any grading permits (whichever occurs first), the project applicant shall schedule all construction activities to avoid the nesting season. The nesting season for most birds, including most raptors in the San Francisco Bay area, extends from February 1<sup>st</sup> through August 31<sup>st</sup> (inclusive). Construction activities include any site disturbance such as, but not limited to, tree trimming or removal, grading, and trenching.</p>	<p>Avoid construction activities during the nesting season.</p> <p>All measures shall be printed on all construction documents, contracts, and project plans.</p>	<p>Prior to issuance of any tree removal or grading permits (whichever occurs first).</p>	<p>Director of Planning, Building, and Code Enforcement or Director's designee</p>	<p>Confirm that construction activities are scheduled outside of the nesting season.</p>	<p>Prior to the issuance of any tree removal or grading permits (whichever occurs first).</p>
<p><b>MM BIO-1.2:</b> If construction activities cannot be scheduled between September 1<sup>st</sup> and January 31<sup>st</sup> (inclusive), pre-construction surveys for nesting birds shall be completed by a qualified ornithologist or biologist to ensure that no active nests shall be disturbed during construction activities. This survey shall be completed no more than 14 days prior to the initiation of construction activities during the early part of the breeding season (February 1<sup>st</sup> through April 30<sup>th</sup> inclusive) and no more than 30 days prior to the initiation of these activities during the late part of the breeding season (May 1<sup>st</sup> through August 31<sup>st</sup> inclusive). During this survey, the qualified ornithologist/biologist shall inspect all trees and other possible nesting habitats on-site and within 250 of the site for nests.</p>	<p>If construction cannot be scheduled to occur outside of the nesting season, retain a qualified ornithologist to complete pre-construction surveys and, as necessary, establish buffer zones around active nests.</p> <p>All measures shall be printed on all construction documents, contracts, and project plans.</p>	<p>The pre-construction surveys shall be completed no more than 14 days prior to the initiation of construction activities.</p> <p>The recommendations of the pre-construction survey report shall be implemented during construction.</p>	<p>Director of Planning, Building, and Code Enforcement or Director's designee</p>	<p>Review and approve the pre-construction survey plan and any designated buffer zones.</p> <p>Ensure that all measures are printed on all construction documents, contracts, and project plans.</p>	<p>Prior to the issuance of any tree removal or grading permits (whichever occurs first).</p>
<p><b>MM BIO-1.3:</b> If an active nest is found within 250 feet of the project area to be disturbed by construction, the qualified ornithologist/biologist shall determine the extent of a construction free buffer zone to be established around the nest (typically 250 feet for raptors and 100 feet for other birds), to ensure that raptor or migratory bird nests shall not be disturbed during project construction.</p>	<p>If an active nest is found, a qualified ornithologist would establish a construction free buffer zone.</p> <p>All measures shall be printed on all construction documents, contracts, and project plans.</p>	<p>Prior to the issuance of any tree removal or grading permits (whichever occurs first).</p>	<p>Director of Planning, Building, and Code Enforcement or Director's designee</p>	<p>Review and approve the construction free buffer zone.</p> <p>Ensure that all measures are printed on all construction documents, contracts, and project plans.</p>	<p>Prior to the issuance of any tree removal or grading permits (whichever occurs first).</p>

<p><b>MM BIO-1.4:</b> Prior to issuance of any tree removal or grading permits (whichever occurs first), the qualified ornithologist/biologist shall submit a report indicating the results of the survey and any designated buffer zones to the satisfaction of the Director of Planning, Building, and Code Enforcement or Director's designee.</p>	<p>Submit the ornithologist's report indicating the results of the survey and any designated buffer zones to the City's Director of PBCE or the Director's designee.</p>	<p>Prior to the issuance of any tree removal or grading permits (whichever occurs first).</p>	<p>Director of Planning, Building, and Code Enforcement or Director's designee</p>	<p>Review and approve the pre-construction survey report.  Ensure that all measures are printed on all construction documents, contracts, and project plans.</p>	<p>Prior to the issuance of any tree removal or grading permits (whichever occurs first).</p>
<p><b>Impact BIO-2:</b> Without mitigation, debris generated during project construction, light and glare generated by windows and surfaces, and landscaping plants and chemicals could cause a substantial adverse effect to the Riparian Forest portion of the project site.</p>					
<p><b>MM BIO-2.1:</b> Prior to the issuance of any tree removal, grading, or building permits (whichever occurs first), the project applicant shall submit a final site plan to the Director of Planning, Building, and Code Enforcement or the Director's designee that shows that the project shall observe a 50-foot development-free setback from the top-of-bank of the Guadalupe Creek and a 35-foot setback from riparian vegetation, which is the minimum setback allowed by the Santa Clara Valley Habitat Plan.</p>	<p>Submit the final site, lighting, construction, and landscaping plans to the Director of Planning, Building and Code Enforcement or the Director's designee for verification that the provisions identified in MM BIO-2.1 are incorporated into these plans.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>	<p>Director of Planning, Building and Code Enforcement or the Director's designee .</p>	<p>Receive confirmation that all plan sets and HOA bylaws comply with MM BIO-2.1.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>
<p><b>MM BIO-2.2:</b> Prior to the issuance of any building permits, the project applicant shall submit a final lighting plan set to the Director of Planning, Building and Code Enforcement or the Director's designee that shows that all lighting is designed such that the throw of light is low to the ground and not directed toward the riparian corridor. Lighting shall also be in compliance with the City's Council Policy 6-34 Riparian Corridor Protection and Bird-Safe Design, including that lighting shall not be directed into riparian corridors.</p>	<p>Submit the final site, lighting, construction, and landscaping plans to the Director of Planning, Building and Code Enforcement or the Director's designee for verification that the provisions identified in MM BIO-2.2 are incorporated into these plans.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>	<p>Director of Planning, Building and Code Enforcement or the Director's designee .</p>	<p>Receive confirmation that all plan sets and HOA bylaws comply with MM BIO-2.2.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>
<p><b>MM BIO-2.3:</b> Prior to the issuance of any building permits, the project applicant shall submit a final construction plan set to the Director of Planning,</p>	<p>Submit the final site, lighting, construction, and landscaping plans to the Director of Planning,</p>	<p>Prior to the issuance of any grading or building</p>	<p>Director of Planning, Building and</p>	<p>Receive confirmation that all plan sets and</p>	<p>Prior to the issuance of any grading or</p>



**EXHIBIT "A"**  
**(File No. PD21-006)**

<p>Building and Code Enforcement or the Director’s designee that shows all windows that directly face the riparian habitat are constructed with un-mirrored surfaces and are comprised of bird-friendly glass, such as glass products that are etched or textured to be observable to birds (e.g., glass products certified as Bird Smart by the American Bird Conservancy). The project shall be in compliance with the City’s Council Policy 6-34 Riparian Corridor Protection and Bird-Safe Design, including that large mirrors and large areas of reflective glass shall be avoided, freestanding glass walls and transparent building corners shall be avoided, open space shall not be funneled into a building façade, landscaping shall be strategically placed to reduce reflection and views of foliage inside of and through glass, up-lighting and spotlights shall be avoided, and that non-emergency lighting shall be turned off or shielded at night to minimize light from buildings that is visible to birds, especially during the nesting season (February – May and August – November).</p>	<p>Building and Code Enforcement or the Director’s designee for verification that the provisions identified in MM BIO-2.3 are incorporated into these plans.</p>	<p>permits (whichever occurs earliest)</p>	<p>Code Enforcement or the Director’s designee .</p>	<p>HOA bylaws comply with MM BIO-2.3.</p>	<p>building permits (whichever occurs earliest)</p>
<p><b>MM BIO-2.4:</b> Prior to the issuance of any grading permits, the project applicant shall submit a landscape plan to the Director of Planning, Building, and Code Enforcement or the Director’s designee showing that all landscaping within 100 feet of the riparian edge is comprised of locally native and/or non-invasive species that are not featured on the California Invasive Plant Council’s Invasive Plant Inventory of invasive plant species (<a href="http://www.cal-ipc.org/ip/nventory">www.cal-ipc.org/ip/nventory</a>). The landscape plan shall also demonstrate compliance with the design guides set forth in Chapter 4 of the Valley Water User Manual: Guidelines and Standards for Land Use Near Streams.</p>	<p>Submit the final site, lighting, construction, and landscaping plans to the Director of Planning, Building and Code Enforcement or the Director’s designee for verification that the provisions identified in MM BIO-2.4 are incorporated into these plans.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>	<p>Director of Planning, Building and Code Enforcement or the Director’s designee .</p>	<p>Receive confirmation that all plan sets and HOA bylaws comply with MM BIO-2.4.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>
<p><b>MM BIO-2.5:</b> During construction, the project applicant shall implement trash control measures to ensure that the riparian habitat is protected from litter or construction debris moving into the riparian habitat from the development site due to wind or storm water. This shall include placement of lidded trash cans near construction area parking, near portable toilets, and</p>	<p>Submit the final site, lighting, construction, and landscaping plans to the Director of Planning, Building and Code Enforcement or the Director’s designee for verification that the provisions</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>	<p>Director of Planning, Building and Code Enforcement or the Director’s designee .</p>	<p>Receive confirmation that all plan sets and HOA bylaws comply with MM BIO-2.5.</p>	<p>Prior to the issuance of any grading or building permits (whichever occurs earliest)</p>

<p>near actively constructed houses. The project applicant shall place tight-fitting lids on all trash cans at the site at the end of each day and they shall be emptied before they are overflowing. Prior to issuance of any construction permits, the project applicant shall provide verification that all trash control measures are listed on the final construction plan sets and construction contractors are contractually obligated to implement them.</p>	<p>identified in MM BIO-2.5 are incorporated into these plans.</p>				
<p><b>MM BIO-2.6:</b> Prior to the issuance of any occupancy permits, the project applicant shall submit a copy of the homeowners association (HOA) bylaws to the Director of Planning, Building, and Code Enforcement or the Director's designee for verification that the HOA bylaws do not allow any activities that would violate MM BIO-2.2, MM BIO-2.3, and MM BIO-2.4. The HOA bylaws shall include mandatory provisions prohibiting the installation of any lighting, reflective surfaces, or landscaping by future residents that would violate the provisions of MM BIO-2.2, MM BIO-2.3, and MM BIO-2.4.</p>	<p>Submit the HOA bylaws to the City's Director of Planning, Building and Code Enforcement or the Director's designee for verification of incorporation of MM BIO-2.6.</p>	<p>Prior to issuance of any occupancy permits.</p>	<p>Director of Planning, Building and Code Enforcement or the Director's designee .</p>	<p>Receive confirmation that all plan sets and HOA bylaws comply with MM BIO-2.6.</p>	<p>Prior to issuance of any occupancy permits.</p>

**HAZARDS AND HAZARDOUS MATERIALS**

**Impact HAZ-1:** Development of the project could result in an impact to construction workers and nearby sensitive receptors from exposure to soil and soil vapor contaminated with organochloride pesticides from past agricultural uses and chlorinated solvents from upgradient dry cleaning operations.

<p><b>MM HAZ-1.1:</b> Due to detections of volatile organic compounds (VOCs) above regulatory environmental screening levels in soil vapor, prior to issuance of any grading permit, the applicant must obtain regulatory oversight from the Regional Water Quality Control Board (RWQCB), Department of Toxic Substances Control (DTSC), or the Santa Clara County Department of Environmental Health (SCCDEH) under their Site Cleanup Program. The applicant shall meet with the appropriate regulating agency and perform additional soil and soil vapor sampling and testing to adequately define the known and suspected contamination from past agricultural use and any other past uses of concern. A Site Management Plan (SMP), Removal Action Plan (RAP), or equivalent document</p>	<p>The Site Management Plan (SMP), Remedial Action Plan (RAP), Health and Safety Plan (HSP) or equivalent document shall be submitted to the overseeing regulatory authority (RWQCB, DTSC, or SCCDEH), the Director of Planning, Building, and Code Enforcement or Director's designee, and the Municipal Environmental Compliance Officer for review and approval. Once approved, identified soil and soil vapor management practices shall be</p>	<p>Prior to issuance of tree removal, grading, or building permits (whichever occurs first).</p>	<p>Overseeing regulatory authority (RWQCB, DTSC, or SCCDEH), the Director of Planning, Building, and Code Enforcement or Director's designee, and the Municipal Environmental</p>	<p>Review and approval of the Site Management Plan (SMP), Removal Action Plan (RAP), or equivalent document and verification of regulatory oversight by the Director of Planning, Building, and Code Enforcement or Director's designee</p>	<p>Prior to issuance of tree removal, grading, or building permits (whichever occurs first).</p>
---	---	--	---	---	--

<p>shall be prepared under regulatory oversight and approval by a qualified environmental consultant that identifies remedial measures and/or soil management practices to ensure construction worker safety and protect the health of nearby sensitive receptors. The plan and evidence of regulatory oversight shall be provided to the Director of Planning, Building, and Code Enforcement or Director's designee and the Environmental Compliance Officer in the City of San José Environmental Services Department prior to issuance of tree removal, grading, or building permits (whichever occurs first).</p>	<p>incorporated into project design documents and submitted to the Director of Planning, Building, and Code Enforcement or Director's designee, and the Municipal Environmental Compliance Officer for review and approval.</p>		<p>Compliance Officer</p>	<p>and the Environmental Compliance Officer in the City of San José Environmental Services Department</p>	
--	---	--	---------------------------	---	--

**NOISE**

**Impact NOI-1:** Construction-related vibration levels would be 0.268 in/sec PPV in/sec at the nearest residential uses located approximately 20 feet north of the project site.

<p><b>MM NOI-1.1:</b> Prior to the issuance of any tree removal, grading, or building permits (whichever occurs first), the project applicant shall prepare a construction vibration monitoring plan to reduce construction impacts at the buildings where vibration level would exceed 0.2 in/sec PPV. The plan shall include, but is not limited to, the following:</p> <ul style="list-style-type: none"> <li>• Place operating equipment on the construction site as far as possible from vibration-sensitive receptors.</li> <li>• Vibratory rollers (if necessary) that are used within 30 feet of the adjacent residences to the north shall be equivalent in size to a Caterpillar model CP433E vibratory compactor or smaller such that vibration levels would not exceed 0.2 in/sec PPV. Only use the static compaction mode when compacting materials within 15 feet of adjacent buildings.</li> <li>• Avoid dropping equipment (such as a clam shovel) within 30 feet of adjacent residences to the north. Use alternative methods for breaking up existing pavement, such as a pavement grinder within 30 feet of adjacent buildings.</li> </ul>	<p>Submit the construction vibration monitoring plan to the Director of Planning, Building, and Code Enforcement or Director's designee for review and approval.</p>	<p>Prior to issuance of tree removal, grading, or building permits (whichever occurs first)</p>	<p>Director of Planning, Building, and Code Enforcement or Director's designee</p>	<p>Review of project plans and construction vibration monitoring plan.</p>	<p>Prior to issuance of tree removal, grading, or building permits (whichever occurs first)</p>
---	--	---	--	--	---

<ul style="list-style-type: none"><li>• The project applicant shall designate a City of San José employee responsible for registering and investigating claims of excessive vibration. The contact information of such person shall be clearly posted on the construction site.</li><li>• Prior to the issuance of any demolition or grading permits, the project applicant shall submit a copy of the vibration construction plan to the Director of Planning, Building and Code Enforcement or Director's designee for review and approval.</li></ul>					
---	--	--	--	--	--

*Source:* City of San José. *Camden Avenue Residential Project Initial Study.* September 2022.