R	ESO	LUT	ION	NO.	

A RESOLUTION OF THE COUNCIL OF THE CITY OF SAN JOSE ADOPTING THE DOVE HILL MEDICAL CARE FACILITY PROJECT MITIGATED NEGATIVE DECLARATION, FOR WHICH AN INITIAL STUDY WAS PREPARED, ALL IN ACCORDANCE WITH THE CALIFORNIA ENVIRONMENTAL QUALITY ACT, AS AMENDED, AND ADOPTING A RELATED MITIGATION MONITORING AND REPORTING PROGRAM

WHEREAS, prior to the adoption of this Resolution, the Planning Director of the City of San José prepared an Initial Study and approved for circulation a Mitigated Negative Declaration for the Dove Hill Medical Care Facility Project under Planning File Nos. PDC14-051 and PD16-019 (the "Initial Study/Mitigated Negative Declaration"), all in accordance with the requirements of the California Environmental Quality Act of 1970, together with state and local guidelines implementing said Act, all as amended to date (collectively "CEQA"); and

WHEREAS, the Dove Hill Medical Care Facility Project (the "Project") analyzed under the Initial Study/Mitigated Negative Declaration consists of rezoning a 21-acre project site from Agriculture Zoning District to the PQP(PD) Planned Development Zoning District to allow the demolition of all existing buildings, structures, trees and landscaping, and associated improvements; allow the construction of a medical care facility with two buildings with a total building area of 141,359-gross square feet containing a total of 155 patient rooms and up to 248 beds, all within only three acres ("development footprint") of the 21 acres; and allow the remaining 18 acres to be maintained as undeveloped, permanent private open space (Open Hillside Zoning District). The project site is located at 4200 Dove Hill Road in south San José, adjacent to the east side of United States Highway 101 (US 101), in the City of San José

RD:VMT:JMD 10/10/2018

(Assessor's Parcel Number 679-08-003 and 679-09-001, 679-08-002 and 679-09-002),

San José, California; and

Initial Study/Mitigated Negative Declaration concluded that WHEREAS, the

implementation of the Project could result in certain significant effects on the

environment and identified mitigation measures that would reduce each of those

significant effects to a less-than-significant level; and

WHEREAS, in connection with the approval of a project involving the preparation of an

initial study/mitigated negative declaration that identifies one or more significant

environmental effects, CEQA requires the decision-making body of the lead agency to

incorporate feasible mitigation measures that would reduce those significant

environmental effects to a less-than-significant level; and

WHEREAS, whenever a lead agency approves a project requiring the implementation

of measures to mitigate or avoid significant effects on the environment, CEQA also

requires a lead agency to adopt a mitigation monitoring and reporting program to ensure

compliance with the mitigation measures during project implementation, and such a

mitigation monitoring and reporting program has been prepared for the Project for

consideration by the decision-maker of the City of San José as lead agency for the

Project (the "Mitigation Monitoring and Reporting Program"); and

WHEREAS, the City of San José is the lead agency on the Project, and the City Council

is the decision-making body for the proposed approval to undertake the Project; and

WHEREAS, the City Council has reviewed and considered the Initial Study/Mitigated

Negative Declaration and related Mitigation Monitoring and Reporting Program for the

Project and intends to take actions on the Project in compliance with CEQA and state

and local guidelines implementing CEQA; and

2

RD:VMT:JMD 10/10/2018

WHEREAS, the Initial Study/Mitigated Negative Declaration and related Mitigation

Monitoring and Reporting Program for the Project are on file in the Office of the Director

of Planning, located at 200 East Santa Clara Street, 3rd Floor Tower, San José,

California, 95113, are available for inspection by any interested person at that location

and are, by this reference, incorporated into this Resolution as if fully set forth herein;

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF

SAN JOSE:

THAT THE CITY COUNCIL does hereby make the following findings: (1) it has

independently reviewed and analyzed the Initial Study/Mitigated Negative Declaration

and other information in the record and has considered the information contained

therein, prior to acting upon or approving the Project, (2) the Initial Study/Mitigated

Negative Declaration prepared for the Project has been completed in compliance with

CEQA and is consistent with state and local guidelines implementing CEQA, and (3) the

Initial Study/ Mitigated Negative Declaration represents the independent judgment and

analysis of the City of San José, as lead agency for the Project. The City Council

designates the Director of Planning at the Director's Office at 200 East Santa Clara

Street, 3rd Floor Tower, San José, California, 95113, as the custodian of documents

and records of proceedings on which this decision is based.

THAT THE CITY COUNCIL does hereby find that based upon the entire record of

proceedings before it and all information received that there is no substantial evidence

that the Project will have a significant effect on the environment and does hereby adopt

the Mitigated Negative Declaration and related Mitigation Monitoring and Reporting

Program prepared for the Project (Planning File Nos. PDC14-051 and PD16-019). The

Mitigation Monitoring and Reporting Program for the Project is attached hereto as

Exhibit "A" and fully incorporated herein. The Initial Study/Mitigated Negative

Declaration and Mitigation Monitoring and Reporting Program are: (1) on file in the

3

Office of the Director of Planning, located at 200 East Santa Clara Street, 3rd Floor Tower, San José, California, 95113 and (2) available for inspection by any interested person.

ADOPTED this _____ day of _______, 2018, by the following vote:

AYES:

NOES:

ABSENT:

DISQUALIFIED:

SAM LICCARDO Mayor

ATTEST:

MITIGATION MONITORING AND REPORTING PROGRAM

Dove Hill Medical Care Facility Project

File Nos. PDC14-051, PD16-019

CITY OF SAN JOSE June 2018



PREFACE

Section 21081.6 of the California Environmental Quality Act (CEQA) requires a Lead Agency to adopt a Mitigation Monitoring and Reporting Program whenever it approves a project for which measures have been required to mitigate or avoid significant effects on the environment. The purpose of the monitoring and reporting program is to ensure compliance with the mitigation measures during project implementation.

The Initial Study/Mitigated Negative Declaration prepared for the Dove Hill Medical Care Facility Project concluded that the implementation of the project could result in significant effects on the environment and mitigation measures were incorporated into the proposed project or are required as a condition of project approval. This Mitigation Monitoring and Reporting Program addresses those measures in terms of how and when they will be implemented.

This document does *not* discuss those subjects for which the Initial Study/Mitigated Negative Declaration concluded that the impacts from implementation of the project would be less than significant.

I, where been developed in conjunction with the preparation of an Initial Study/Mitigated Negative Declaration for my proposed project. I understand that these mitigation measures or substantially similar measures will be adopted as conditions of approval with my development permit request to avoid or significantly reduce potential environmental impacts to a less than significant level, where feasible.

Project Applicant's Signature freels longing in by the ways



Dove Hill Medical Care Facility Project File Nos. PDC14-051, PD16-019

	MONITORING AND REPORTING PROGRAM					
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule	
BIOLOGICAL RESOURCES						
Impact BIO-1: Project construction and landscaping ass or weedy species to the surrounding open space areas, w						
 MM BIO-1.1: A qualified biologist, under contract to the project applicant, shall prepare and implement a Monitoring and Management Plan to preserve the serpentine habitat and special-status plant species present in the open space area above the project development footprint. The plan shall be developed in consultation with the Santa Clara Valley Habitat Agency. The Monitoring and Management Plan shall include, but is not limited to, the following components: Unauthorized human access to the open space area shall be prohibited and facility management staff shall be required to monitor for unauthorized use of the open space; Fencing shall be installed to separate the medical care facility from the open space to prevent unauthorized human access to the open space are during any demolition, grading, and construction phases; Periodic monitoring of the site (e.g., every two years or as determined by the biologist) by a 	Prepare Monitoring and Management Plan in consultation with the Santa Clara Valley Habitat Agency. Implement Monitoring and Management Plan that includes the following: Require facility staff to monitor and prevent unauthorized human access to the open space area. Monitoring of the site every two years (or as determined by the biologist) by a biologist to assess potential disturbance, invasive species, and other stressors on the	Prior to issuance of any grading or demolition permit for the proposed project.	Supervising Environmental Planner of the San José Department of Planning, Building, and Code Enforcement	Review and approve the Monitoring and Management Plan and in consultation with the Santa Clara Valley Habitat Agency.	Prior to issuance of any grading or demolition permit for the proposed project. Confirm monitoring of the site every two years (or as determined by the biologist)	

years or as determined by the biologist) by a



	MONITORING AND REPORTING PROGRAM						
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
biologist to determine whether unauthorized entry and disturbance, overgrowth by non-native plants, or other stressors are degrading the suitability of the open space for serpentine plants; • Management activities to address unauthorized human use (e.g., fence repair); • Management activities to prevent infestations of non-native plants (e.g., periodic grazing); and • Best management practices for preventing the introduction of non-native species during construction or maintenance of landscaping. The Monitoring and Management shall be reviewed	serpentine plants of the open space area. Use of Best Management Practices to prevent introduction of non-native species to the open space area.						
and approved by the San José Department of Planning, Building, and Code Enforcement prior to issuance of any grading or demolition permit for the proposed project.			-		-		
Impact BIO-2: Construction activities associated with t	he project could result in the loss	s of fertile eggs of nesti	ng raptors or other migrate	ory birds, or nest aban	donment.		
MM BIO-2.1: The project applicant shall schedule demolition and construction activities to avoid the nesting season. The nesting season for most birds, including most raptors in the San Francisco Bay area extends from February 1st through August 31st (inclusive). If demolition and construction activities cannot be scheduled to avoid the nesting season, pre-	Avoidance of construction activities during nesting seasons. If construction activities cannot be avoided during nesting seasons, a pre-	Prior to issuance of any tree removal, grading, demolition, and/or building permits or activities.	Supervising Environmental Planner of the San José Department of Planning, Building, and Code Enforcement	Confirm that demolition and construction activities are scheduled outside of the nesting season.	Prior to issuance of any tree removal, grading, demolition, and/or building		



	MONITORING AND REPORTING PROGRAM						
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
construction surveys for nesting raptors and other migratory nesting birds shall be conducted by a qualified ornithologist to identify active nests that may be disturbed during project implementation on-site and within 250 feet of the site. Projects that commence demolition and/or construction activities between February 1st and April 30th (inclusive) shall conduct a pre-construction survey for nesting birds no more than 14 days prior to initiation of construction, demolition activities, or tree removal. Between May 1st and August 31st (inclusive), the pre-construction survey shall be conducted no more than 30 days prior to initiation of construction, demolition, or tree removal activities. If an active nest is found in or within 250 feet of the project area, a qualified ornithologist, in consultation with the California Department of Fish and Wildlife (CDFW) shall determine the extent of a construction-free buffer zone (typically 250 feet for raptors and 100 feet for other birds) around the nest, to ensure that raptor or migratory bird nests would not be disturbed during ground disturbing activities. The construction-free buffer zones shall be maintained until after the nesting season has ended and/or the ornithologist has determined that the nest is no longer active.	construction nesting bird survey shall be conducted by a qualified ornithologist and construction-free buffer zones shall be designated around any discovered nest. Following completion of the preconstruction survey, the project applicant shall submit a report prepared by a qualified ornithologist to document the results of the survey and any designated construction-free buffer zones.		CDFW, if an active nest is found.	Review the pre- construction survey report indicating the results of the survey and any designated buffer- zones.	permits or activities.		



	MONITORING AND REPORTING PROGRAM					
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
-	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule	
The ornithologist shall submit a report indicating the results of the survey and any designated buffer zones to the satisfaction of the Supervising Environmental Planner of the City of San José Department of Planning, Building and Code Enforcement prior to issuance of any tree removal, grading, demolition, and/or building permits or activities (whichever occur the earliest).	¥					
Impact BIO-3: Demolition of buildings on the site could	d result in injury and/or mortalit	y of roosting bats.				
MM BIO-3.1: Bat Surveys. Prior to removal of trees, demolition, grading, or building activities (whichever occurs the earliest), a survey of existing buildings shall be completed by a qualified bat biologist to determine whether the site supports a maternity roost of any bat species. The survey shall be conducted during the breeding season (March 1st to August 31st, inclusive). If the survey must be conducted during the non-breeding season (i.e., September 1st to February 28th, inclusive), and if no evidence of bat roosts is found, it can be concluded that no maternity roost is present. However, if the survey is conducted during the non-breeding season and evidence of a bat day roost is observed, then prior to building demolition, a follow-up survey shall be completed during the breeding	A pre-construction survey of maternity bat roosts shall be conducted by a qualified bat biologist. Following completion of the preconstruction survey, a report prepared by a qualified bat biologist shall be submitted summarizing method of detection and recommendation of removal (if roosts are found).	Prior to tree removal, grading, demolition, and/or building permit or activities.	Supervising Environmental Planner of the San José Department of Planning, Building, and Code Enforcement	Review the pre- construction survey report indicating the results of the survey, as well as any recommendations for removal.	Prior to issuance of any tree removal, grading, demolition, and/or building permits or activities.	



	MONITORING AND REPORTING PROGRAM						
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
season (March 1st to August 31st, inclusive) to determine whether a maternity roost is present. If suitable roost sites are found but a visual survey is not adequate to determine presence or absence of bats (which would be particularly likely in the case of potential roost trees), acoustical equipment shall be used to determine occupancy. A preliminary report shall be submitted to the Supervising Environmental Planner of the City of San José Department of Planning, Building and Code Enforcement by the qualified bat biologist summarizing method of detection and recommendation of removal.		8					
MM BIO-3.2: Bat Eviction. If a maternity roost would be impacted, and the roost supports either a special-status species or a regionally important proportion of the population of a non-special-status species (e.g., two percent or more, in the opinion of a qualified bat biologist), an alternative bat roost structure shall be provided. The design and placement of this structure shall be determined by the bat biologist based on the species of bat to be displaced, the location of the original roost, and the habitat conditions in the vicinity. This bat structure shall be established at least one month prior to removal of the original roost structure. This structure shall be checked during the breeding season for up to three years	If maternity roosts would be impacted, an alternative bat roost structure shall be provided. Eviction of bats from structures or trees under the guidance and supervision of a qualified bat biologist. Additional surveys for roosting bats to determine whether bats have	Prior to issuance of any tree removal, grading, demolition, and/or building permits or activities.	Supervising Environmental Planner of the San José Department of Planning, Building, and Code Enforcement	Review bat roost structure, eviction methods, and survey 15 days prior to beginning of demolition activities.	Prior to issuance of any tree removal, grading, demolition, and/or building permits or activities.		



21	MONITORING AND REPORTING PROGRAM						
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
following completion of the project, or until it is found to be occupied by bats. This data shall be included in finding report prepared by the bat biologist to provide information for future projects regarding the effectiveness of such structures in minimizing impacts to bats. The report shall be submitted to the Supervising Environmental Planner of the City of San José Department of Planning, Building and Code Enforcement at the end of the three year following the completion of the project, or when bats are detected in the structure (whichever occurs first).	abandoned previously identified roosts.			# #			
A pre-demolition survey for roosting bats, following the methods described in MM BIO-3.1, shall be completed within 15 days prior to the commencement of demolition activities in a given area to determine whether bats have occupied a roost in or near the project's impact areas, or whether they have abandoned a roost identified during the surveys described above. If a maternity roost of any bat species is present, the bat biologist shall determine the extent of a construction-free buffer around the active roost that will be maintained from March 1st until the young are flying, typically after August 31st.		8 1					



MONITORING AND REPORTING PROGRAM						
1 - 1000 - 100 - 100 - 100 - 100	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
	[Project Applicant/Proponer Method of Compliance or Mitigation Action	Documentation of Compliance [Project Applicant/Proponent Responsibility] Method of Compliance or Mitigation Action Timing of Compliance	Documentation of Compliance [Project Applicant/Proponent Responsibility] Method of Compliance or Mitigation Action Timing of Compliance Compliance Responsibility	Documentation of Compliance [Project Applicant/Proponent Responsibility] Method of Compliance or Mitigation Action Timing of Compliance Compliance Tompliance Oversight Responsibility Actions/Reports		



	MONITORING AND REPORTING PROGRAM						
MITIGATION	-1 004-01 Dr. 104-102 100-01 100-01-0-0	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
occur at dusk to allow bats to escape during the dark hours. These trees shall then be removed the following day. All activities shall be performed under the supervision of a qualified bat biologist.				*			
MM BIO-3.3: Reporting. All survey results, recommendations, and actions taken shall be written into a final report and submitted by the project applicant to the satisfaction of the Supervising Environmental Planner of the City of San José Department of Planning, Building and Code Enforcement prior to issuance of any tree removal, grading, demolition, and/or building permits (whichever occur the earliest).	Survey results, recommendations, and actions written in a final report.	Prior to issuance of any tree removal, grading, demolition, and/or building permits or activities.	Supervising Environmental Planner of the San José Department of Planning, Building, and Code Enforcement ??	Review and approve survey results, recommendations, and actions related to roosting bats.	Prior to issuance of any tree removal, grading, demolition, and/or building permit or activities.		
CULTURAL RESOURCES							
Impact CUL-1: Construction activities in the southern a aged residential structures.	rea of the project development t	footprint could disturb s	subsurface historic resourc	es associated with the	on-site historic-		
 MM CUL-1.1: The following shall be included in the project to reduce impacts to anticipated subsurface historic resources in the southern area of the project site, in the vicinity of the existing residential structures: A qualified archaeologist shall monitor all subsurface construction activities and demolition 	Monitoring by an archaeologist of subsurface construction and demolition in the southern area of the project site, with the authority to:	During construction activities. Prior to removal of any potential finds. Prior to issuance of building permits	Supervising Environmental Planner and Historic Preservation Officer of the City of San José Department of Planning, Building and Code Enforcement	Review treatment plan for recovery methodology of the finds. Review a final report of findings	During construction activities. Prior to removal of any potential finds.		

 in the southern area of the site developed with the residential structures. In the event that prehistoric or historic resources are encountered during excavation and/or grading of the site, all activity within a 50-foot radius of the find shall be stopped, the Supervising Environmental Planner and Historic Preservation Officer of the City of San José Department of Planning, Building and Code Enforcement shall be notified, and a qualified archaeologist will examine the find. Project personnel shall not collect or move any cultural material. The archaeologist shall 1) evaluate the find(s) to determine if they meet the definition of a historical or archaeological resource; and (2) make appropriate recommendations regarding the disposition of such finds prior to issuance of any occupancy permits. If the finds do not meet the definition of a historical or archaeological resources, no further study or protection is necessary prior to project implementation. If the find(s) does meet the definition of a historical or archaeological resource, then the find shall be avoided by project activities. Project personnel shall not collect or move any cultural material. Fill soils that may be used for construction purposes shall not contain archaeological materials. 	Stop work within a 50-foot radius of an archaeological find; Evaluate the find for historical or archaeological significance; Submit a treatment plan to the Supervising Environmental Planner and Historic Preservation Officer of the City of San Jose Department of Planning Building and Code Enforcement prior to commencement of recovery activities. Prepare a final summary report of findings and mitigation measures.		Northwest Information Center	documenting any data recovery	Prior to issuance of building permits
--	---	--	---------------------------------	-------------------------------	---------------------------------------

• If project construction activities cannot avoid impacting the find, adverse effects to such

resources shall be mitigated in accordance with the recommendations of the archaeologist and as approved by the City. Recommendations shall include, but are not limited to, collection,

recordation, and analysis of any significant cultural materials. Data recovery methods may include, but are not limited to, backhoe trenching, shovel test units, hand augering, and hand-excavation. Data recovery shall include excavation and exposure of features, field documentation, and recordation. A treatment plan including, but



Dove Hill Medical Care Facility Project File Nos. PDC14-051, PD16-019

	MONITORING AND REPORTING PROGRAM							
MITIGATION	Documentation of Co [Project Applicant/Propone		Documentation of Compliance [Lead Agency Responsibility]					
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule			
is not limited to, methodology of data recovery, recommendations of measures and conditions to minimize impacts to the finds shall be submitted and approved by Supervising Environmental Planner and Historic Preservation Officer of the City of San José Department of Planning, Building and Code Enforcement prior to commencement of recovery activities.		2						
 A final report of findings documenting any data recovery shall be submitted to the Supervising Environmental Planner and Historic Preservation Officer of the City of San José Department of Planning, Building and Code Enforcement and to the Northwest Information Center prior to issuance of building permits. 								

GEOLOGY AND SOILS

Impact GEO-1: Grading and excavation activities at the project site could alter existing slope configurations resulting in landslide activation, exposing people and structures to damage and/or safety hazards.



Dove Hill Medical Care Facility Project File Nos. PDC14-051, PD16-019

	MONITORING AND REPORTING PROGRAM						
MITIGATION	Documentation of ([Project Applicant/Propon	14.51 NOVACO NO NOSO	Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
MM GEO-1.1: The project applicant shall install retaining walls to provide support at the toe of slopes, where cuts are made into the slope, as shown on the project grading plan. Retaining walls shall be designed to withstand the applicable earth pressures, dependent on the slope inclination and backfill material, as determined by a qualified Geologist. Retaining wall engineering plans and a report by a qualified geologist shall be submitted to the Supervising Planner, Department of Planning, Building and Code Enforcement prior to the issuance of any grading or building permit.	Installation of retaining walls to withstand earth pressures as determined by a qualified geologist. A report by a qualified geologist shall be submitted demonstrate the impact has been mitigated.	Prior to issuance of any grading or building permit.	City of San José Department of Planning, Building and Code Enforcement.	Review and approve retaining wall engineering plans and geologist report.	Prior to issuance of any grading or building permit.		
HAZARDS AND HAZARDOUS MATERIALS							
Impact HAZ-1: The project site contains elevated levels construction workers and existing sensitive receptors in	s of naturally occurring asbestos the project area. Future resident	(NOA) in the soil. Air s of the site could also	rborne NOA during constru be exposed to elevated lev	uction activities could els of NOA.	be hazardous to		
MM HAZ-1.1: Under regulatory oversight from Bay Area Air Quality Management District (BAAQMD), the project shall prepare a site-specific Asbestos Dust Mitigation Plan (ADMP) for review and approval by the applicable regulatory agency prior to the issuance of any grading permit. The ADMP shall be	Submit an ADMP documenting implementation of dust and erosions control measures.	Prior to issuance of any grading permits.	BAAQMD The Supervising Environmental Planner of the City of San José	Receive copies of the ADMP submittal and any correspondence between	Receive copy of the BAAQMD approved ADMP prior to issuance of any		

grading permits.

BAAQMD and the

project applicant.

Department of

Planning, Building and

Code Enforcement

of any grading permit. The ADMP shall be

implemented during construction activities to reduce

disturbing activities. The ADMP and application shall be submitted to BAAQMD for review and approval

the potential for asbestos emissions during ground-



		MONITORING AN	ND REPORTING PRO	GRAM			
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
prior to issuance of any grading permits, consistent with the BAAQMD Naturally Occurring Asbestos Program. The Supervising Environmental Planner of the City of San José Department of Planning, Building and Code Enforcement shall be copied on the ADMP submittal and any correspondence between BAAQMD and the contractor/developer regarding asbestos. The ADMP shall include dust and erosion control measures to eliminate or minimize the generation of dust and erosion associated with excavation activities, truck and vehicle traffic onto and off the site, and the effects of ambient wind traversing exposed soil, as detailed, but is not limited to, below:							
 Each area proposed for work that may contain asbestos shall be sufficiently moisture conditioned before beginning work to minimize dust emissions during excavation and grading. If dust is observed, additional water must be applied. 		9					
 Water applied for dust control purposes can be treated with a small amount of a biodegradable wetting agent to increase dust suppression. 	=						
 All working surfaces (including haul roads and other roads subject to traffic) on material potentially containing asbestos shall be kept 							



MITIGATION		MONITORING AND REPORTING PROGRAM					
	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]				
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule		
sufficiently moist so that visible dust is not emitted during grading or driving.							
 Travel speeds of grading equipment and vehicles traveling in the grading area on-site must be limited. 	340			- 30			
 The exposed surface of loads transported on-site by scraper or truck must be kept sufficiently moist to minimize potential dust/asbestos emissions. 			ē				
 Equipment operators must avoid excessive disturbance of asbestos-containing material such as overfilling of scrapers or pushing material over the sides of stockpiles. 				*			
If significant downwind asbestos emissions are expected, given the location of the work and the wind directions, at least one of the following options must be implemented: limit the duration of the work as long as wind conditions are adverse, work at another location upwind from the area of concern, or erect a mist curtain downwind of the work area.							
The ADMP shall also include protocols for air monitoring of contaminants of concern documenting worker exposures and off-site migration of dust, if any, during soil disturbing activities.		2	2				



9		MONITORING AND REPORTING PROGRAM				
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule	
Impact HAZ-2: Site construction workers and future pa site in the vicinity of the project.	tients may be exposed to elevate	ed levels of the pesticid	es chlordane and dieldrin t	hat were detected in s	oil samples at the	
MM HAZ-2.1: Prior to issuance of any grading permits, the project applicant shall conduct additional soil sampling near the project to establish the vertical and lateral extent of soil contamination. The Santa Clara County Department of Environmental Health and/or another regulatory agency shall be consulted to evaluate requirements for regulatory oversight. Remedial measures shall be established with oversight from the regulatory agency to reduce health risks to future users of the site from exposure to the impacted soil. Remedial measures may include: 1) excavation and off-site disposal of the impacted soil at a permitted facility; 2) the use of engineering and administrative controls, such as consolidation and capping of the soil on-site and land use covenants restricting certain activities/uses; and 3) a combination of the above.	Soil sampling to determine lateral and vertical extent of contamination and establish remedial measures.	Prior to issuance of grading permits	Santa Clara County Department of Environmental Health or equivalent agency Supervising Environmental Planner of the Department of Planning, Building, and Code Enforcement, and the Environmental Services Department	Review soil sampling and establish remedial measures. Receive a copy of the soil sampling reports and proposed remedial measures.	Prior to issuance of any grading permits.	
The project applicant shall submit a copy of the soil sampling report and proposed remedial measures to the Supervising Environmental Planner of the Department of Planning, Building, and Code Enforcement, and the Environmental Services Department prior to the issuance of any grading permits.				8		



MITIGATION	MONITORING AND REPORTING PROGRAM					
	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule	
MM HAZ-2.2: Under regulatory oversight from the Santa Clara County Department of Environmental Health using their Voluntary Cleanup Program, or equivalent regulatory agency, the project applicant shall prepare a Site Management Plan (SMP) presenting the established remedial measures. The SMP shall be prepared by a qualified hazardous materials consultant to establish management practices for handling contaminated soil or other materials encountered during construction activities. The SMP shall include, but is not limited to, the following: • A detailed discussion of the site background; • Proper mitigation as needed for demolition of existing structures; • Management of stockpiles, including sampling, disposal, and dust and runoff control including implementation of a stormwater pollution prevention program;	Preparation and implementation of the SMP	Prior to issuance of any grading permit (SMP) and during construction	Santa Clara County Department of Environmental Health or equivalent agency Supervising Environmental Planner of the Department of Planning, Building, and Code Enforcement, Environmental Services Department	Review and approve of the SMP	Prior to issuance of any grading permits	
 Procedures to follow if evidence of an unknown historic release of hazardous materials (e.g., underground storage tanks, polychlorinated biphenyls, asbestos-containing materials, lead- 		-		v		

MM HAZ-3.1: The project applicant shall ensure that any soil off-haul from the site (including native soils or	Additional testing on off- haul soil from the site,	Prior to issuance of any grading	Supervising Environmental Planner	Confirm this measure is printed	Prior to issuance of any grading
Impact HAZ-3: If excavated soil generated during site of disposed of improperly.					
The project applicant shall submit the SMP to the Santa Clara County Department of Environmental Health (or equivalent agency) for review and approval, and provide a copy of the approved SMP to the Supervising Environmental Planner of the City of San José Department of Planning, Building, and Code Enforcement and Municipal Compliance Officer of the City of San José Environmental Services Department prior to the issuance of any grading permits.					or or
• A Health and Safety Plan (HSP) shall be prepared to provide general health and safety guidance so that field activities can be completed in a manner that minimizes exposure to soils. Contractors shall also determine the requirements for worker training, based on the level of expected contact to soil associated with the contractor's activities and locations. The HSP shall contain provisions for limiting and monitoring chemical exposure to construction workers, chemical and non-chemical hazards, emergency procedures, and standard safety protocols.					
 Procedures for impacted soil excavation, soil stockpiling, off-haul, field observation by an environmental professional, confirmation sampling, and reporting requirements; Procedure for proper disposal of potentially contaminated soil or other materials, if applicable (as stated in MM HAZ 3.1); 					2
 or demolition; A section about regulatory agencies and protocol if underground storage tanks (USTs) are encountered during construction activities; and A section about regulatory agencies and protocol if complete removal of USTs is needed; 				<i>i</i>	
based paint, etc.) is discovered during excavation					



9.	, W	MONITORING A	ND REPORTING PRO	GRAM				
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]					
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule			
undocumented fill) is characterized and profiled prior to off-haul, including additional soil sampling and/or laboratory testing, as required, to further evaluate hazardous materials concentrations in the soil. The analytical results shall be forwarded to the receiving facility for comparison to their acceptance criteria. Soils shall be disposed of at a Class I hazardous landfill, if appropriate. Disposal procedures shall be included in the Soil Management Plan (SMP) as stated in MM HAZ-2.2. This measure shall be printed on all construction plans, documents, and contracts prior to the issuance of any grading permits.	disposal at Class I hazardous landfill, if appropriate.	permits, during grading and demolition.	of the Department of Planning, Building, and Code Enforcement, Environmental Services Department	on appropriate documents and included in the SMP.	permits, during grading and demolition.			
HYDROLOGY AND WATER QUALITY Impact HYD-1: If on-site wells are improperly abandon	ed, they could contribute to poll	utants in the groundwa	ter.					
MM HYD-1.1: The project applicant shall ensure that on-site wells are properly removed in accordance with Santa Clara Valley Water District requirements prior to issuance of grading permits for the site. The project applicant shall obtain written confirmation from the Santa Clara Valley Water District documenting the proper abandonment of the wells and provide the documentation to the Supervising Environmental Planner of the City of San José Department of Planning, Building, and Code Enforcement prior to issuance of any grading permits.	Proper removal of on-site wells pursuant to Santa Clara Valley Water District requirements.	Prior to issuance of any grading permits.	Santa Clara Valley Water District Supervising Environmental Planner of the Department of Planning, Building, and Code Enforcement, Environmental Services Department	Review documentation of proper well abandonment.	Prior to issuance of any grading permits.			



	MONITORING AND REPORTING PROGRAM					
MITIGATION	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule	
Impact HYD-2: Abandoned on-site septic tanks that we	ere used for discharges of hazard	ous materials could cor	ntribute to pollutants in gro	oundwater during demo	olition.	
MM HYD-2.1: The project applicant shall ensure that on-site septic systems are properly abandoned in accordance with applicable Santa Clara County Department of Environmental Health and other applicable regulations. A letter from the County Department of Environmental Health documenting proper septic tank abandonment shall be provided by the project applicant to the Supervising Environmental Planner of the City of San José Department of Planning, Building, and Code Enforcement prior to issuance of any grading permits.	Abandonment of on-site septic systems pursuant to Santa Clara County Department of Environmental Health requirements.	Prior to issuance of any grading permits.	Santa Clara Valley Water District Supervising Environmental Planner of the Department of Planning, Building, and Code Enforcement, Environmental Services Department	Review documentation of proper septic system abandonment.	Prior to issuance of any grading permits.	
TRANSPORTATION AND TRAFFIC						
Impact TRAN-1: The connection from the project acce pedestrians, bicyclists and other cars.	ss roadway onto Dove Hill Road	would not provide a 9	0-degree connection, whic	h could limit the abilit	y of drivers to see	
MM TRAN-1.1: The project applicant shall ensure that the area from the project access roadway onto Dove Hill Road remain free and clear of obstructions to allow exiting vehicles to see pedestrians on the sidewalk and vehicles traveling on Dove Hill Road. A reduced speed limit of 15 miles per hour shall be implemented along the on-site private roadway. Prior to the issuance of a grading permit, all measures shall be printed on contracts and plans and a implementation	The project access roadway onto Dove Hill Road shall be free and clear of obstructions and have a reduced speed limit.	Prior to issuance of building permits	Department of Planning, Building, and Code Enforcement, Environmental Services Department and Department of Public Works.	Review and approve traffic circulation plan for project access roadway.	Prior to issuance of building permits.	



Dove Hill Medical Care Facility Project File Nos. PDC14-051, PD16-019

MITIGATION	MONITORING AND REPORTING PROGRAM					
	Documentation of Compliance [Project Applicant/Proponent Responsibility]		Documentation of Compliance [Lead Agency Responsibility]			
	Method of Compliance or Mitigation Action	Timing of Compliance	Oversight Responsibility	Actions/Reports	Monitoring Timing or Schedule	
plan shall be submitted to the Environmental Project Manager to identify, at a minimum:		a .				
 The methodologies proposed to meet the 15 miles per hour (e.g. speed bumps, signage, etc.) The methodologies proposed to clear any obstruction from the view of exiting vehicles onto Dove Hill Road. 	,					
Proof of compliance to this implementation plan shall be submitted to the Supervising Environmental Planner prior to the issuance of Occupancy permit to ensure installation of appropriate structures and conformance to this measure has been met.	× ×			91	1 3	

Source: City of San José. Initial Study. Dove Hill Medical Care Facility Project. March 2018.