City of San José



Legislation Text

File #: 22-1045, Version: 1

Actions Related to the Measure T Status Report on the Workplan and Implementation Updates.

- (a) Accept the status report on the workplan and implementation updates for projects included in approved 2018 Measure T Bond measure;
- (b) Accept the Measure T Community Oversight Committee's annual report, as identified in Attachment A, on the Measure T -The Disaster Preparedness, Public Safety and Infrastructure General Obligation Bond Program proceeds and allocations for Fiscal Year 2020-21;
- (c) Initiate actions and studies for the potential construction of a new Fire Station 36 at the intersection of Capitol Expressway and Tuers Road;
- (d) Adopt the following 2021-2022 Appropriation Ordinance amendments in the Public Safety and Infrastructure Bond Fund:
- (1) Increase the Measure T Police Headquarters Infrastructure Upgrades appropriation to the Public Works Department by \$250,000; and
- (2) Decrease the Measure T Program Reserve (Public Safety) appropriation by \$250,000.
- (e) Accept the funding recommendation shown in Table 2, with the acknowledgement that Fire Station 32 overages based on the current one company scope of work will require using \$2,500,000 of the \$5,000,000 in the Public Safety Program Reserve recommended for Fire Station Rehabilitation and for potential Fire Station overages;
- (f) Defer the policy decision in regard to funding projects identified in Table 4 until February 2023; and
- (g) Approve the proposed City Land South of Phelan site as a project to be funded by the Clean Water Program. CEQA: Not a Project, File No. PP17-009, Staff Reports, Assessments, Annual Reports, and Informational Memos that involve no approvals of any City action; Not a Project, File No. PP17-004, Government Funding Mechanism or Fiscal Activity with no commitment to a specific project which may result in a potentially significant physical impact on the environment. (Public Works/City Manager)

[Deferred from 5/17/2022 - Item 3.5 (a)(b)(c)(e)(f) (22-703)]